

**Amendment and Response**

Applicant: Raymond H. Kraft

Serial No.: 10/800,420

Filed: March 12, 2004

Docket No.: A126.253.102

Title: SYSTEM AND METHOD OF NON-LINEAR GRID FITTING AND COORDINATE SYSTEM MAPPING

---

**IN THE CLAIMS**

Please cancel claims 21-28.

Please add claims 29-39.

Please amend claims 1 and 16 as follows:

1.(Currently Amended) A method of fitting acquired fiducial data to a set of fiducials on a fiducial plate; said method comprising:

fitting a fiducial grid model to data acquired by an imaging apparatus captured such that features are positioned in space relative to the fiducial plate;

establishing a conversion from acquired coordinates to ideal fiducial coordinates using a data processing component;

calculating an absolute location ~~of~~ for each identified acquired image feature centers relative to the fiducial plate in fiducial plate coordinates using the data processing component, the absolute location indicating a distance measurement in fiducial plate coordinates; and

based on at least one calculated absolute location of the identified acquired image feature centers, selectively modifying a structure represented by the identified acquired image feature center.

2.(Previously Presented) The method of claim 1 wherein said fitting comprises identifying fiducial coordinates for each fiducial captured in said data acquired by said imaging apparatus.

3.(Original) The method of claim 2 further comprising selectively iterating said identifying coordinates for each fiducial and said calculating an absolute location of identified acquired image feature centers.

4.(Original) The method of claim 1 wherein said calculating comprises utilizing a linear least squares operation.

**Amendment and Response**

Applicant: Raymond H. Kraft

Serial No.: 10/800,420

Filed: March 12, 2004

Docket No.: A126.253.102

Title: SYSTEM AND METHOD OF NON-LINEAR GRID FITTING AND COORDINATE SYSTEM MAPPING

---

5.(Original) The method of claim 1 further comprising assuming that a rotation of said imaging apparatus relative to a fiducial grid is negligible.

6.(Original) The method of claim 1 wherein said imaging apparatus comprises a charge-coupled device camera.

7.(Original) The method of claim 1 wherein said imaging apparatus comprises a complementary metal-oxide semiconductor device.

8. – 15.(Cancelled)

16.(Currently Amended) A computer readable medium encoded with non-transitory data and instructions for fitting acquired fiducial data to a set of fiducials on a fiducial plate; said data and said instructions causing an apparatus executing said instructions to:

- fit a fiducial grid model to data acquired by an imaging apparatus captured such that features are positioned in space relative to the fiducial plate;
- establish a conversion from acquired coordinates of each identified fiducial to ideal plate coordinates; and
- calculate an absolute location of identified acquired image feature centers relative to the fiducial plate, the absolute location indicating a distance measurement in fiducial plate coordinates.

17.(Original) The computer readable medium of claim 16 further encoded with data and instructions; said data and said instructions further causing an apparatus executing said instructions to identify fiducial coordinates for each fiducial captured in said data acquired by said imaging apparatus.

**Amendment and Response**

Applicant: Raymond H. Kraft

Serial No.: 10/800,420

Filed: March 12, 2004

Docket No.: A126.253.102

Title: SYSTEM AND METHOD OF NON-LINEAR GRID FITTING AND COORDINATE SYSTEM MAPPING

---

18.(Original) The computer readable medium of claim 17 further encoded with data and instructions; said data and said instructions further causing an apparatus executing said instructions selectively to iterate identifying coordinates for each fiducial and calculating an absolute location of identified acquired image feature centers.

19.(Original) The computer readable medium of claim 16 further encoded with data and instructions; said data and said instructions further causing an apparatus executing said instructions to utilize a linear least squares operation.

20.(Original) The computer readable medium of claim 16 further encoded with data and instructions; said data and said instructions further causing an apparatus executing said instructions to assume that a rotation of said imaging apparatus relative to a fiducial grid is negligible.

21. – 28.(Cancelled)

29.(New) A method of accurately identifying a location of a feature relative to a fiducial plate comprising:

acquiring an image of an object with an imaging apparatus, the image comprising data concerning the position of a plurality of fiducial marks on a fiducial plate and data concerning the position of a feature of the object, the image being acquired such that the data concerning the position of a plurality of fiducial marks on a fiducial plate and data concerning the position of a feature of the object is obtained simultaneously;

fitting a fiducial grid model to the image data to establish a conversion from coordinates of the plurality of fiducial marks acquired from the image to coordinates of the plurality of fiducial marks on the fiducial plate using a data processing component;

**Amendment and Response**

Applicant: Raymond H. Kraft

Serial No.: 10/800,420

Filed: March 12, 2004

Docket No.: A126.253.102

Title: SYSTEM AND METHOD OF NON-LINEAR GRID FITTING AND COORDINATE SYSTEM MAPPING

---

calculating an absolute location of a center of each of the plurality of fiducial marks in the acquired image relative to the fiducial plate in fiducial plate coordinates using the data processing component, the absolute location indicating a distance measurement in fiducial plate coordinates; and,

determining a position of a feature of the object in the acquired image and modifying the determined position based on at least one calculated absolute location of the plurality of fiducial marks in the acquired image.

30.(New) The method of claim 29 wherein the fitting comprises identifying fiducial mark coordinates for each fiducial mark captured in the image data acquired by the imaging apparatus.

31.(New) The method of claim 30 further comprising selectively iterating the identifying coordinates for each fiducial mark and the calculating an absolute location of identified acquired image feature centers.

32.(New) The method of claim 29 wherein the calculating comprises utilizing a linear least squares operation.

33.(New) The method of claim 29 further comprising assuming that a rotation of the imaging apparatus relative to the fiducial plate is negligible.

34.(New) The method of claim 29 wherein the imaging apparatus comprises a charge coupled device camera.

35.(New) The method of claim 29 wherein the imaging apparatus comprises a complementary metal-oxide semiconductor device.

36.(New) The method of claim 29 wherein the object is part of a semiconductor probe card.

**Amendment and Response**

Applicant: Raymond H. Kraft

Serial No.: 10/800,420

Filed: March 12, 2004

Docket No.: A126.253.102

Title: SYSTEM AND METHOD OF NON-LINEAR GRID FITTING AND COORDINATE SYSTEM MAPPING

---

37. (New) A method of localizing an object, comprising:

acquiring an image with an imaging apparatus, the image including the object to be localized and a plurality of fiducial marks;

fitting a model to the plurality of fiducial marks that defines a transformation between a location of the plurality of fiducial marks as seen in the image and an actual location of the plurality of fiducial marks;

determining an actual position of the object with respect to the plurality of fiducial marks using the model fitted to the image of the plurality of fiducial marks.

38. (New) The method of claim 37 further comprising:

interposing a substantially transparent substrate having a plurality of fiducials formed therein between the imaging apparatus and the object.

39. (New) The method of claim 37 further comprising:

acquiring a succession of images with an imaging apparatus, each of the succession of images including both the object and the plurality of fiducial marks.